

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS #: 082986

AZOLLA ZS 32

Date of the previous version: not applicable

Revision Date: 2015-04-02

Version 1

1. IDENTIFICATION		
Product identifier		
Product name	AZOLLA ZS 32	
Other means of identification		
Product Code(s)	082986	
Number Substance/mixture	157 Mixture	
Recommended use of the chemical	and restrictions on use	
Identified uses	Hydraulic oil.	
Uses advised against	Do not use for any purpose other than the one for which it is intended	
Details of the supplier of the safety	data sheet	
Supplier Address	TOTAL Specialties USA Inc 1201 Louisiana Street, Suite 1800 Houston, TX 77002 Phone: +1 800 323 3198	
Contact Point	Technical/ HSEQ	
E-mail Address	USRMLIN-info@total.com	
Emergency telephone number Company Phone Number Emergency telephone	+1 (908) 862-9300 CHEMTREC: +1 800 424 9300 (24h)	

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



AZOLLA ZS 32

Date of the previous version: not applicable

Revision Date: 2015-04-02

Version 1

Unknown Acute Toxicity No information available

Hazards not otherwise classified (HNOC)

None known

Other information

- · Contaminated surfaces will be extremely slippery
- · Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES		
First aid measures for different exp	osure routes	
General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.	
Eye contact	Rinse immediately with plenty of water and seek medical advice.	
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.	
Inhalation	Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper respiratory tract.	
Ingestion	If swallowed, do not induce vomiting - seek medical advice.	
Most important symptoms/effects, a	acute and delayed	
Skin contact	High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.	
Eye contact	Not classified.	
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.	
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	



SDS # : 082986	A	ZOLLA ZS 32	
Date of the previous version: not a	applicable	Revision Date: 2015-04-02	Version
Symptoms	Itching.		
Indication of immediate medical at	tention and spec	ial treatment needed, if necessary	
Notes to physician	Treat symptoma	atically.	
5. FIRE-FIGHTING MEASURE	ES		
Suitable Extinguishing Media	Foam. Carbon	dioxide (CO 2). ABC powder. Water spray.	
Unsuitable Extinguishing Media	Do not use a so	lid water stream as it may scatter and spread fire.	
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.		
Explosion Data			
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	none. none.		
Protective Equipment and Precautions for Firefighters		vear self-contained breathing apparatus pressure-dema quivalent) and full protective gear. Evacuate non-essent	
6. ACCIDENTAL RELEASE N	IEASURES		
Personal precautions, protective e	quipment and en	nergency procedures	
General Information		walk through spilled material. Contaminated surfaces were sonal protective equipment. Ensure adequate ventilat ion.	
Other information	See Section 12	for additional Ecological information.	
Environmental precautions			
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.		
Methods and materials for contain	ment and cleanin	ng up	
Methods for cleaning up	material. Conta sand, earth, dia to local / nation	in suitable, closed containers for disposal. Soak up with in spillage, and then collect with non-combustible absor tomaceous earth, vermiculite) and place in container fo al regulations (see section 13). Use mechanical means absorbent materials.	bent material, (e.g. r disposal according

7. HANDLING AND STORAGE

Precautions for safe handling



SDS # : 082986	AZ	OLLA ZS 32	
Date of the previous version: not	applicable	Revision Date: 2015-04-02	Version 1
Advice on safe handling		not eat, drink or smoke. For personal protection see s eas. Do not breathe vapors or spray mist. Avoid con	
Prevention of fire and explosion	Take precautiona and transfer/rece	ary measures against static discharges. Ground/bon iving equipment.	d containers, tanks
Hygiene measures	contact with the p recommended. W not use abrasives	cation of strict rules of hygiene by the personnel expo oroduct. Regular cleaning of equipment, work area a Vash hands before breaks and immediately after han s, solvents or fuels. Do not dry hands with rags that h th product. Do not put product contaminated rags into	nd clothing is Idling the product. Do nave been
Conditions for safe storage, inclue	ling any incompati	ibilities	
Technical measures/Storage conditions	container tightly of indication of the r the containers (er leakage (for exam	food, drink and animal feedingstuffs. Keep in a bund closed. Keep preferably in the original container. Oth regulation label on the new container. Do not remove ven if they are empty). Design equipment to avoid ac nple due to seal failure) onto hot casings or electrica and sunlight. Protect from moisture.	erwise reproduce all the hazard labels of ccidental product
Materials to Avoid	Strong oxidizing a	agents.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limitsMineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH
(TLV) TWA 5 mg/m³ (highly refined).

Exposure controls	
Engineering Measures	Apply technical measures to comply with the occupational exposure limits.
Individual protection measures, suc	ch as personal protective equipment
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Eye/Face Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots.



SDS # : 082986	A	ZOLLA ZS 32	
Date of the previous version:	not applicable	Revision Date: 2015-04-02	Version 1
Hand Protection	instructions rega supplier of the g	oof gloves. Fluorinated rubber. Nitrile rubber. Please arding permeability and breakthrough time which are loves. Also take into consideration the specific local sed, such as the danger of cuts, abrasion, and the co	provided by the conditions under which
Respiratory protection	experienced, NI Positive-pressu	Inder normal usage. If exposure limits are exceeded OSH/MSHA approved respiratory protection should re supplied air respirators may be required for high a Respiratory protection must be provided in accorda	be worn. irborne contaminant
Hygiene measures	contact with the recommended. not use abrasive	ication of strict rules of hygiene by the personnel exp product. Regular cleaning of equipment, work area Wash hands before breaks and immediately after ha es, solvents or fuels. Do not dry hands with rags that ith product. Do not put product contaminated rags in	and clothing is Indling the product. Do I have been

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Color Physical State @20°C Odor Odor Threshold		amber liquid Petroleum distillates No information available	
<u>Property</u> pH Melting point/range Boiling point/boiling range	<u>Values</u>	<u>Remarks</u> Not applicable No information available Not applicable	<u>Method</u>
Flash point	207 °C 405 °F		Cleveland Open Cup (COC) ASTM D 92 Cleveland Open Cup (COC). ASTM D 92.
Evaporation rate Flammability Limits in Air upper Lower Vapor Pressure Vapor density Relative density Density Water solubility Solubility in other solvents logPow Autoignition temperature	- - 0.867 868 kg/m³	No information available No information available No information available No information available No information available @ 15 °C @ 15 °C Not applicable No information available No information available No information available Not applicable	ASTM D 92. ASTM D 1298 ASTM D 1298



AZOLLA ZS 32

Revision Date: 2015-04-02 Date of the previous version: not applicable Version 1 **Decomposition temperature** No information available @ 40 °C ASTM D 445 Viscosity, kinematic 32 mm2/s Explosive properties Not explosive Oxidizing Properties Not applicable Possibility of hazardous reactions Not applicable Other information **Specific Gravity** @ 15 °C 0.867 **ASTM D 1298** Freezing Point No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to Avoid	Heat, flames and sparks. Take precautionary measures against static discharges. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Strong oxidizing agents.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as	

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information

Skin contact	High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Numerical measures of toxicity - Product Information

ATEmix (oral)	5057	mg/kg
ATEmix (dermal)	5057	mg/kg



AZOLLA ZS 32

Date of the previous version: not applicable

Revision Date: 2015-04-02

Version 1

Inhalation	
ATEmix (inhalation-dust/mist)	5.2 mg/l
ATEmix (inhalation-vapor)	30.3 mg/l

Information on toxicological effects

Symptoms Itching.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	Not classified as a sensitizer.
Carcinogenicity	Contains no ingredient listed as a carcinogen.

Mutagenicity	Contains no ingredient listed as a mutagen.
Reproductive toxicity	This product does not present any known or suspected reproductive hazards.
Aspiration Hazard	Not classified.

12. ECOLOGICAL INFORMATION

Ecotoxicity Acute aquatic toxicity - Product Information

No experimental data available

Acute aquatic toxicity - Component Information

No information available

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

No information available

Effects on terrestrial organisms No experimental data available .

Persistence and degradability

General Information No information available.

Bioaccumulative potential



SDS #: 082986 **AZOLLA ZS 32** Date of the previous version: not applicable Revision Date: 2015-04-02 Version 1 **Product Information** No information available. logPow No information available **Component Information** No information available. Mobility No information available Soil Other adverse effects **General Information** No information available **13. DISPOSAL CONSIDERATIONS** Waste treatment Waste Disposal Methods Dispose of in accordance with local regulations.

Dispose of in accordance with local regulations.

California Hazardous Waste Codes 221

Contaminated packaging

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

5.67			
DOT	Not regulated		
TDG	Not regulated		
100	Not legulated		
MEX	Not regulated		
ICAO/IATA	Not regulated		
IMDG/IMO	Not regulated		
ADR/RID	Not regulated		
ADN	Not regulated		
15. REGULATORY INFORMATION			
International Inventories	All the substances contained in this product are listed or exempted from listing in the		

following inventories: U.S.A. (TSCA)

U.S. Federal Regulations



AZOLLA ZS 32

Date of the previous version: not applicable

Revision Date: 2015-04-02

Version 1

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SAF	R٨	31	1/31	 2 H	azard	Categ	gories
						-	

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Paraffin oils (petroleum),catalytic dewaxed heavy 64742-70-7	Х				
Distillates (petroleum), hydrotreated light paraffinic 64742-55-8	Х				

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard 0	Flammability 1	Instability 0	Physical and chemical
HMIS	Health Hazard 0	Flammability 1	Physical Hazard 0	hazards - Personal protection X

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard



AZOLLA ZS 32

Date of the previous version: not applicable

2015-04-02

No information available

Revision Date: 2015-04-02

Version 1

Revision Date:	
Revision Note	
Abbreviations, acronyms	

Legend

Section 8 ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health TLV - Threshold Limit Values PEL - Permissible Exposure Limits IDHL - Immediately Dangerous to Life or Health concentrations TWA - Time Weight Average STEL - Short Term Exposure Limits S* - Skin notation TSCA - Toxic Substance Control Act

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of the safety data sheet